

Why do you take aspirin...To reduce the chance of stroke?*
Kentucky BRFSS 2000

| Geographic Groups | Total Respond.# | Yes | | | No | | |
|-------------------|-----------------|-----|------|-------------|-----|------|-------------|
| | | N | % | C.I.(95%) | N | % | C.I.(95%) |
| TOTAL | 1512 | 983 | 62.8 | (59.4-66.1) | 529 | 37.2 | (33.9-40.6) |
| ADDs | | | | | | | |
| Barren River | 90 | 60 | 66.6 | (55.4-76.2) | 30 | 33.4 | (23.8-44.6) |
| Big Sandy | 76 | 50 | 68.7 | (56.4-78.8) | 26 | 31.3 | (21.2-43.6) |
| Bluegrass | 128 | 86 | 68.7 | (59.4-76.7) | 42 | 31.3 | (23.3-40.6) |
| Buffalo Trace | 69 | 53 | 77.2 | (63.8-86.6) | 16 | 22.8 | (13.4-36.2) |
| Cumberland Valley | 96 | 62 | 67.5 | (56.9-76.6) | 34 | 32.5 | (23.4-43.1) |
| FIVCO | 108 | 67 | 57.6 | (47.0-67.6) | 41 | 42.4 | (32.4-53.0) |
| Gateway | 108 | 78 | 77.3 | (67.7-84.7) | 30 | 22.7 | (15.3-32.3) |
| Green River | 78 | 49 | 60.7 | (48.6-71.6) | 29 | 39.3 | (28.4-51.4) |
| Kentucky River | 118 | 81 | 67.0 | (56.7-75.8) | 37 | 33.0 | (24.2-43.3) |
| KIPDA | 116 | 64 | 54.2 | (43.7-64.4) | 52 | 45.8 | (35.6-56.3) |
| Lake Cumberland | 92 | 56 | 58.9 | (47.5-69.4) | 36 | 41.1 | (30.6-52.5) |
| Lincoln Trail | 109 | 68 | 62.1 | (51.7-71.5) | 41 | 37.9 | (28.5-48.3) |
| Northern Kentucky | 100 | 58 | 56.5 | (45.6-66.8) | 42 | 43.5 | (33.2-54.4) |
| Pennyrile | 108 | 70 | 62.6 | (51.9-72.2) | 38 | 37.4 | (27.8-48.1) |
| Purchase | 116 | 81 | 71.8 | (60.0-81.2) | 35 | 28.2 | (18.8-40.0) |

*This question was asked only to those respondents age 35 and older who take aspirin daily or every other day.

#Use caution in interpreting data for total respondents less than 50. N = Cell Size, NH = Non-Hispanic, % = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level).

Percentages are weighted to population characteristics.

Unless stated differently above, Missing, 'Don't know', and Refused responses are excluded.